



ARTWORK SPECIFICATIONS

DIMENSIONS

Artwork should be created at full size,
1:1 scale.

FORMAT

Flattened high resolution PDF
(fonts to outlines) or
150 DPI minimum JPEG (prefer 200DPI)

FONTS

All fonts must be converted to outlines
(not embedded)

APPLICATIONS

Invisage accepts files created by any of
the following applications:
Illustrator CS3, Photoshop CS3, Acrobat 8

*Invisage does not recommend large
format output from any Microsoft
applications including WORD,
POWERPOINT AND EXCEL.*

COLOUR MANAGEMENT

ALL COLOURS MUST BE CONVERTED
TO CMYK

For rich black use 80/60/40/100

Due to the inherent limitation in digital
printing, certain PMS colours and effects
such as duotone can be difficult to
emulate.

If colour is of a particular concern,
specific testing to match certain colours
and test prints may be required.
(additional charges do apply)

FILE TRANSFER

Email (below 5MB)
Files can be emailed to info@invisage.net

FILE UPLOAD

Files over 5Mb can be sent to us via
www.yousendit.com (follow the online
instructions for your free account)

CD

All CD's must be attended to Invisage
Artwork Department at 5 Helpmann
Avenue, Point Cook, Victoria 3030



CD administration charge of \$25 applies
Please note that artwork will not be
returned.



ARTWORK SPECIFICATIONS BANNERPRO PREMIUM

Invisage recommends that all graphic artwork should bleed (continue) into the top and bottom of the non-visual area.

This will allow for the printed artwork to be secured effectively to the display frame without any white space showing.






ARTWORK SPECIFICATIONS BANNERPRO DELUXE

Invisage recommends that all graphic artwork should bleed (continue) into the top and bottom of the non-visual area.

This will allow for the printed artwork to be secured effectively to the display frame without any white space showing.





ARTWORK SPECIFICATIONS BANNERPRO 3x3 CURVED WALL

Artwork **MUST** be prepared as 5 individual panels

Visible area: 2220mm (H) X 673mm (W)

Print Size: 2232mm (H) X 685mm (W)

Due to end-caps being curved to the back of the stand, text may be obscured when assembled. It is recommended not to place text on end-caps

Install magnetic bars bottom-to-top when setting up and top-to-bottom when dismantling.

